COVID-19 Vaccine Timing–Pediatric

Vaccinate ALL 58

Routine Schedule

Age	Vaccine	Primary Doses	Booster Dose
6 months–4 years	**Pfizer–** Infant/Toddler	1st Dose → 3-8 weeks^ → 2nd Dose → ≥8 weeks → 3rd Dose	
6 months–5 years	**Moderna–** Infant/Toddler	1st Dose → 4-8 weeks^ → 2nd Dose	
5–11 years	**Pfizer–** Pediatric	1st Dose → 3-8 weeks^ → 2nd Dose → ≥5 months	Booster
6–11 years	**Moderna–** Pediatric	1st Dose → 4-8 weeks^ → 2nd Dose	

Schedule if Moderately or Severely Immunocompromised

Age	Vaccine	Primary Doses	Booster Dose
6 months–4 years	**Pfizer–** Infant/Toddler	1st Dose → 3 weeks → 2nd Dose → ≥8 weeks → 3rd Dose	
6 months–5 years	**Moderna–** Infant/Toddler	1st Dose → 4 weeks → 2nd Dose → ≥4 weeks → 3rd Dose	
5–11 years	**Pfizer–** Pediatric	1st Dose → 3 weeks → 2nd Dose → ≥4 weeks → 3rd Dose → ≥3 months	Booster
6–11 years	**Moderna–** Pediatric	1st Dose → 4 weeks → 2nd Dose → ≥4 weeks → 3rd Dose	

^ An 8-week interval may be preferable for some people, especially for males 12-39 years.

View Interim Clinical Considerations for Use of COVID-19 Vaccines for details. Schedule is subject to change.

COVID-19 Vaccine Timing–Adolescent/Adult

Vaccinate ALL 58

Routine Schedule

Age	Vaccine	Primary Doses	Booster Doses
12-17	**Moderna–** Adol/Adult	1st Dose → 4-8 weeks^ → 2nd Dose	
12+	**Pfizer/** Adol/Adult	1st Dose → 3-8 weeks^ → 2nd Dose → ≥5 months	**1st Booster** **Ages 12-17:** Pfizer **18+:** Moderna/ Pfizer (mRNA preferred) or J&J* → ≥4 months → **2nd Booster** **Ages 50+:** Moderna/Pfizer **18-49:** Not currently recommended. (If received J&J for primary and 1st booster, may consider receiving a 2nd booster of mRNA vaccine.)
18+	**Moderna–** Adol/Adult	1st Dose → 4-8 weeks^ → 2nd Dose → ≥5 months	
18+	**Janssen (J&J)** Pfizer/Moderna preferred*	1st Dose → ≥2 months	

^ An 8-week interval may be preferable for some people, especially for males 12-39 years.

* Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in some situations.

View Interim Clinical Considerations for Use of COVID-19 Vaccines for details. Schedule is subject to change.

COVID-19 Vaccine Timing–Adolescent/Adult

Vaccinate ALL 58

Schedule if Moderately or Severely Immunocompromised

Age	Vaccine	Primary Doses	Booster Doses
12-17	**Moderna–** Adol/Adult	**1st Dose** → 4 weeks → **2nd Dose** → ≥4 weeks → **3rd Dose**	
12+	**Pfizer/** Adol/Adult	**1st Dose** → 3 weeks → **2nd Dose** → ≥4 weeks → **3rd Dose** → ≥3 months	**1st Booster** **Ages 12-17:** Pfizer **18+:** Pfizer/ Moderna (mRNA preferred) or J&J* → ≥4 months → **2nd Booster** **Ages 12-17:** Pfizer **18+:** Moderna/ Pfizer
18+	**Moderna–** Adol/Adult	**1st Dose** → 4 weeks → **2nd Dose** → ≥4 weeks → **3rd Dose** → ≥3 months	
18+	**Janssen (J&J)** Pfizer/Moderna preferred*	**1st Dose** → 4 weeks → **2nd Dose** of Moderna/ Pfizer → ≥2 months	

* Although use of mRNA COVID-19 vaccines is preferred, the Janssen vaccine may be offered in some situations.

View Interim Clinical Considerations for Use of COVID-19 Vaccines for details. Schedule is subject to change.