

## Pediatric COVID-19 Vaccine Dosing Quick Reference Guide







Age at First Dose	Pfizer-BioNTech COVID-19 Vaccine		Moderna COVID-19 Vaccine			Novavax COVID-19 Vaccine		
6 months – 4 years	Maroon cap  Dose 2  3-8 weeks after dose 1  Maroon cap	at least 8 weeks after dose 2 Bivalent maroon cap	Blue cap/ magenta label	Dose 2  4-8 weeks after dose 1  Blue cap/ magenta label	Booster dose at least 2 months after last dose Dark pink cap/ yellow label			
5 years	Orange cap  Dose 2  3-8 weeks after dose 1  Orange cap	Booster dose at least 2 months after last dose† Bivalent orange cap	Blue cap/ magenta label	Dose 2 4-8 weeks after dose 1 Blue cap/ magenta label	Booster dose at least 2 months after last dose Dark pink cap/ yellow label OR Pfizer's Bivalent orange cap			
6 – 11 years	Orange cap  Orange cap  Orange cap  Orange cap	Booster dose at least 2 months after last dose† Bivalent orange cap OR Moderna's Blue cap/gray label 25 mcg/0.25 ml	Dose 1  Blue cap/ purple label	Dose 2 4-8 weeks after dose 1 Blue cap/ purple label	Booster dose at least 2 months after last dose Blue cap/gray label 25 mcg/o.25 ml OR Pfizer's Bivalent orange cap			
12 – 17 years	Gray cap  Dose 2  3-8 weeks after dose 1  Gray cap	Booster dose at least 2 months after last dose† Bivalent gray cap OR Moderna's Blue cap/gray label 50 mcg/0.5 ml	Dose 1  Red cap/ blue label	Pose 2 4-8 weeks after dose 1 Red cap/ blue label	Booster dose at least 2 months after last dose† Blue cap/gray label 50 mcg/0.5 ml OR Pfizer's Bivalent gray cap	Dark blue af	Dose 2  3-8 weeks Fiter dose 1  Dark blue cap  OR Moderna's  Blue cap/gray lal 50 mcg/0.5 ml	ns ap
18 years and older	Same dosing schedule as 12	Same dosing schedule as 12–17 years			Dark blue af	R-8 weeks Fter dose 1 Dark blue cap  Bivalent gray cap  Booster dos at least 6	months after dose 2 OR Moderna's Blue cap/gray labe so meg/0.5 ml  e (in limited situations)* months after dose 2 ax's dark blue cap	


 $^{\dagger}\!$ At least 2 months after completion of monovalent primary series or last monovalent booster dose.


\*In limited situations where mRNA vaccine is contraindicated, unavailable, or declined.

Primary series

Booster dose

## Pediatric COVID-19 Vaccine Dosing Quick Reference Guide





### Pfizer-BioNTech COVID-19 Vaccine Moderna COVID-19 Vaccine 4 years turning Dose 1 Dose 2 Dose 3 5 years turning 6 Dose 1 Dose 2 Booster dose **Booster dose** years 5 years\* 3-8 weeks at least 8 weeks at least 2 months 4-8 weeks at least 2 months Maroon cap Blue cap/ after dose 1 after dose 2 after dose 3 after dose 1 after dose 2 magenta label Bivalent orange cap Blue cap/gray label Maroon cap Bivalent maroon cap Blue cap/ purple label 25 mcg/0.25 ml OR OR Pfizer's Dose 2 Dose 1 Booster dose Bivalent orange cap 3-8 weeks at least 2 months Orange cap after dose 2 after dose 1 Orange cap Bivalent orange cap 11 years turning 11 years turning Dose 1 Dose 2 Booster dose Dose 1 Dose 2 Booster dose 12 years 12 years 3-8 weeks at least 2 months 4-8 weeks at least 2 months Blue cap/ Orange cap after dose 1 after dose 2 after dose 1 after dose 2 purple label Gray cap Bivalent gray cap Red cap/ Blue cap/gray label blue label 50 mcg/0.5 ml OR Moderna's **OR Pfizer's** Blue cap/gray label 50 mcg/0.5 ml Bivalent gray cap


Primary series Booster dose


<sup>\*</sup>Children turning 4 to 5 years of age during the primary series can follow either dosing option.

## Pediatric COVID-19 Vaccine Dosing Quick Reference Guide: Moderately to Severely Immunocompromised Children











Agost	before user before user				
Age at First Dose	Pfizer-BioNTech COVID-19 Vaccine	Moderna COVID-19 Vaccine	Novavax COVID-19 Vaccine		
6 months – 4 years	Maroon cap  Dose 2 3 weeks after dose 1 Maroon cap  Maroon cap  Dose 3 at least 8 weeks after dose 2 Bivalent maroon cap	Blue cap/magenta label  Dose 2  4 weeks after dose 1  Blue cap/magenta label  Blue cap/magenta label  Dose 3  at least 4 weeks after dose 2  Blue cap/magenta label  Blue cap/magenta label  Blue cap/magenta label  Dark pink cap/yellow label			
5 years	Orange cap  Orange cap  Orange cap  Orange cap  Orange cap  Dose 3  at least 4 weeks 4 weeks after dose 2 Orange cap  Orange cap  Orange cap  Booster dose at least 2 months after last dose† Bivalent orange cap	Dose 1  Blue cap/ magenta label  OR Pfizer's  Bivalent orange cap			
6-11 years	Dose 1     Dose 2     Dose 3     Booster dose       Orange cap     3 weeks after dose 1     4 weeks after dose 2     at least 2 months after last dose¹       Orange cap     Orange cap     Bivalent orange cap       OR Moderna's     Blue cap/gray label 25 mcg/0.25 ml	Dose 1  Blue cap/ purple label  OR Pfizer's  Bivalent orange cap			
12 – 17 years	Gray cap  Ose 1  Ose 2  3 weeks after dose 1  Gray cap  Gray cap  Tose 3  at least 4 weeks after dose 2  Gray cap  OR Moderna's  Blue cap/gray label 50 mcg/0.5 ml	Red cap/blue label  Red cap/blue label	cap Blue cap/gray label 50 mcg/0.5 ml		
18 years and older	Same dosing schedule as 12–17 years	Same dosing schedule as 12–17 years	Dark blue cap  Bivalent gray cap  Booster dose (preferred)  at least 2 months after dose 2  Pfizer's  OR  Moderna's  Blue cap/gray label 50 mcg/0.5 ml  Booster dose (in limited situations)*  at least 6 months after dose 2  Novavax's dark blue cap		


<sup>†</sup>At least 2 months after completion of monovalent primary series or last monovalent booster dose.


\*In limited situations where mRNA vaccine is contraindicated, unavailable, or declined.

# Pediatric COVID-19 Vaccine Dosing Quick Reference Guide: Moderately to Severely Immunocompromised Children



Patients turning a different age between primary series doses: In general, children should receive the dose recommended for age at the time of vaccination.\*





### Pfizer-BioNTech COVID-19 Vaccine Moderna COVID-19 Vaccine 5 years turning 6 4 years turning Dose 1 Dose 2 Dose 3 Dose 1 Dose 2 Dose 3 Booster dose Booster dose vears 5 years 3 weeks at least 8 weeks at least 2 months 4 weeks at least 4 weeks at least 2 months Maroon cap Blue cap/ after dose 1 after dose 2 after dose 3 after dose 1 after dose 2 after dose 3 magenta label Maroon cap Bivalent Bivalent orange cap Blue cap/ Blue cap/ Blue cap/gray label magenta label maroon cap purple label 25 mcg/0.25 ml (if 5 years old) OR Pfizer's Blue cap/ Dose 1 Dose 2 Dose 3 Bivalent orange cap **Booster dose** purple label 3 weeks at least 4 weeks at least 2 months (if 6 years old) Orange cap after dose 1 after dose 2 after dose 3 Orange cap Orange cap Bivalent orange cap 11 years turning 11 years turning Dose 1 Dose 2 Dose 3 Dose 1 Dose 2 Dose 3 **Booster dose** Booster dose 12 years 12 years 3 weeks at least 4 weeks 4 weeks at least 4 weeks at least 2 months at least 2 months Orange cap Blue cap/ after dose 1 after dose 2 after last dose† after dose 1 after dose 2 after last dose† purple label Blue cap/ Orange cap Red cap/ Blue cap/gray label Gray cap Bivalent gray cap purple label (if 11 years old) blue label 50 mcg/0.5 ml OR Moderna's (if 11 years old) OR Pfizer's Gray cap Blue cap/gray label (if 12 years old) Red cap/ 50 mcg/0.5 ml Bivalent gray cap blue label (if 12 years old)

<sup>†</sup>At least 2 months after completion of monovalent primary series or last monovalent booster dose.

Primary series Booster dose

<sup>\*</sup>CDC and AAP recommendation; FDA allows for children crossing age categories to receive either the lower or higher dose after the birthday, so if this were to occur, these doses would count and repeat vaccination is not necessary.